

Cost of Constructing a Metal Hoop High Tunnel

James A. Robbins
Professor - Ornamentals
University of Arkansas
Division of Agriculture

Mengmeng Gu
Assistant Professor -
Ornamental Horticulture
Mississippi State University

Use of high tunnels by fruit, vegetable and cut flower growers is becoming increasingly popular in the U.S. as a low-cost method to extend their growing season. High tunnels are actually one type of season-extending technology or protected agriculture (e.g., row covers, low tunnels, high tunnels) and may be referred to by other names such as hoophouse, Quonset-style house or unheated greenhouse. This fact sheet will focus on cost issues related to the construction of a high tunnel using **metal** hoops. There are several excellent fact sheets^{2,3,6,7} available that outline cost and construction methods for building a high tunnel using **PVC** hoops. Pennsylvania State University offers a for-cost high tunnel manual (<http://plasticulture.psu.edu/node/115>).

Regardless of the type of high tunnel you choose, there are a number of advantages and disadvantages in using high tunnels.⁴ Advantages frequently cited include extended spring and fall growing seasons, wind and rain protection, reduced likelihood for disease problems on certain crops and potential for higher market value of crops and higher quality of harvested crops. Disadvantages include additional capital expense, disposal of polyethylene covering, additional requirement to monitor increased temperature inside tunnel and potential issue of snow loads.

In general, there are a number of site and engineering issues that must be considered before constructing a high tunnel.⁸ Site issues include sunlight and wind exposure, access to

*Arkansas Is
Our Campus*

Visit our web site at:
<https://www.uaex.uada.edu>



FIG. 1. Typical Quonset-style high tunnel design

water and topography. Sunlight and wind issues may influence the orientation of your high tunnel. The overall dimensions and climatic requirements (e.g., snow loads) of your high tunnel will influence such issues as bow/hoop spacing and bow thickness.

High tunnels can be constructed from scratch (the focus of this fact sheet) using a pre-purchased kit or by hiring a company to build the high tunnel for you. In general, most commercial growers build their own high tunnels (i.e., bend their own pipe) or use their own labor to construct a high tunnel from a kit. Pipe benders range in price from \$150 to \$750, depending on features and size. In general high tunnel kits range from \$2.25 to \$5.00/ft², depending on tunnel dimensions, features (e.g., rollup sides, doors), bow steel thickness and type of film. Many suppliers for high tunnel materials and kits are available.^{1,5}




FIG. 2. Major components of a high tunnel

The following tables illustrate material and labor costs associated with constructing high tunnels of varying dimensions using **metal** hoops.

Table 1. Material and labor associated with constructing 30' x 96' high tunnel using chain link tubing.

Item	Unit Price ^Y (\$)	Quantity	Subtotal (\$)	Note	Labor (Hr)
Post/Anchor Legs					2.5
1 7/8" x 3' x 18 gauge tubing (0.047")	5.25	34	178.50	2/bow for 17 bows	
Carriage bolts	0.15	34	5.10	2/bow for 17 bows	
Nuts	0.10	34	3.40	2/bow for 17 bows	
Post driver – 2" pipe end cap	13.95	1	13.95		
Ratchet tie-down	13.98	10	139.80	to anchor the tunnel structure, prevent wind damage	
Bows					6
1 5/8" x 11' x 18 gauge tubing	12.50	68	850.00	6' apart	
1 3/8" x 21' x 18 gauge tubing	17.00	2	34.00	bend and cut to 8" pieces to be inserted between 2 adjacent bow sections; need 4 Tek screws per piece; 51 pieces for 3/bow	
Tek screw ^Z	0.05	204	10.20		
Purlines					6
1 3/8" x 21' x 0.047" 18 gauge tubing	17.00	15	255.00	3 purlines, 5/purline	
Tek screw ^Z	0.05	24	1.20	2/connection	
Cross connectors for 1.66" x 1.315" pipe	2.17	51	110.67	3/bow	
Cover					9.5
8' aluminum wire lock base	5.54	34	188.36	12/side x 2 sides + 5/end x 2 ends	
4' wire spring lock	1.23	68	83.64	to cover all lock base	
48' x 150' poly 6-mil Tufflite IV	452.75	1	452.75		
Tek screw ^Z	0.05	170	8.50	5/base to put it on wood	

Table 1. Material and labor associated with constructing 30' x 96' high tunnel using chain link tubing (cont.)

Item	Unit Price ^Y (\$)	Quantity	Subtotal (\$)	Note	Labor (Hr)
Cover (cont.)					9.5
2 x 4 x 12 treated lumber	6.97	19	132.43	96/12 per side, 1' connecting piece/2 x 4	
Wood screw, 64 needed	5.07	1-lb	5.07	8/connection	
Pipe strap for 1 5/8" tubing	0.46	34	15.64	connect wood with bows	
Polyester cord 1/8" x 1,000'	26.47	1	26.47	45' x17'	
Roll-up sides					4
2 x 6 x 12 treated lumber as base board	10.97	19	208.43	96/12 per side, 1' connecting piece/2 x 6	
Wood screw, 64 needed	5.07	1-lb	5.07	8/connection	
Pipe strap for 1 5/8" tubing	0.46	34	15.64	connect wood with bows	
1 3/8" x 21' x 0.047" 18 gauge tubing	17.00	10	170.00	5/side; 2 sides	
Tek screw ^Z	0.05	16	0.80	connect tubing	
Hand crank assembly 12"	31.95	2	63.90		
Curtain 6' x 96' with sealed seam	450.00	1	450.00	200' long	
Miscellaneous					
WD-40	3.44	1	3.44	for easy installation of bows in posts	
String	5.00	1	5.00	for post line-up	
Flags	5.00	1	5.00	marking	
Spray paint	5.00	1	5.00	marking	
Drill bits of various sizes	20.00	1	20.00	these will wear out	
Tunnel Subtotal			3,466.96		28.5
Windbraces					1.5
1 3/8" x 21' x 18 gauge tubing	17.00	4	68.00	1/corner	
Tek screw ^Z	0.05	16	0.80	4 Tek/brace	
Doors					4
Poly	0		0	the extra from the top cover	
4 x 4 x 16 #2 treated lumber	21.97	4	87.88		
4 x 4 x 12 #2 treated lumber	17.97	2	35.94		
1 3/8" x 21' x 18 gauge tubing	17.00	2	34.00	for roll up door	
Hand crank assembly 12"	31.95	2	63.90		
Subtotal for Windbraces and Doors			290.52		5.5
Total			3,757.48		33.5
Possible Additional Expense: Pipe Bender					
M2030 bender (includes shipping)	750.00	1	750.00		

Note: Chain link tubing of smaller diameter (e.g., 1 3/8" instead of 1 5/8") could be used when constructing 20' (or less) wide high tunnels.

^YPrices as of fall 2009 from local and on-line sources

^ZTek screw: self-taping metal screw

Table 2. Estimated material cost and labor to construct 30' wide high tunnel of different lengths.

	Length of High Tunnel				
	36'	54'	72'	96'	120'
	Material Cost (\$)				
Tunnel	1300	1950	2600	3467	4334
Doors; Windbraces	291	291	291	291	291
Subtotal	1591	2241	2891	3757	4624
\$ per square foot	1.47	1.38	1.34	1.30	1.28
	Labor (hour)				
Tunnel	19.0	21.5	24.5	28.0	31.5
Doors; Windbraces	5.5	5.5	5.5	5.5	5.5
Subtotal	24.5	27.0	30.0	33.5	37.0

References

- ¹ _____. 2010. Hightunnels.org. Accessed on Aug. 12, 2010: <http://www.hightunnels.org/resources.htm#StructureSuppliers>
- ² Coolong, T. 2010. *Low Cost High Tunnel Construction*. eXtension article 18356. Accessed on Aug. 12, 2010: <http://www.extension.org/article/18356>
- ³ Ferguson, A. 2003. *How to Build a High Tunnel*. Univ. of Kentucky. Accessed on Aug. 12, 2010: <http://www.uky.edu/Ag/NewCrops/hightunnel.pdf>
- ⁴ Gu, Mengmeng. 2009. *High Tunnel or Greenhouse?* Miss. State Univ. Information Sheet 1674. Accessed on Aug. 12, 2010: <http://msucares.com/pubs/infosheets/is1674.pdf>
- ⁵ Gu, Mengmeng. 2009. *Specialty Cut Flower Production Resources: Supplies*. Miss. State Univ. Pub. 2560. Accessed on Aug. 12, 2010: <http://msucares.com/pubs/publications/p2560.pdf>
- ⁶ Hail, J., R. Hail, K. Kelly and T. Carey. 2010. *Constructing a Simple PVC High Tunnel: Part I, Site Planning and Construction*. Accessed on Aug. 12, 2010: <http://www.hightunnels.org/ForGrowers/SitePlanning&Construction/Articles/CareyHow-toBuild.htm>
- ⁷ Jimenez, D., R. Walser and R. Torres. 2005. *Hoop House Construction for New Mexico: 12-ft x 40-ft Hoop House*. New Mexico State Univ. Coop. Ext. Serv. Circ. 606. Accessed on Aug. 12, 2010: http://www.hightunnels.org/PDF/Hoop_House_Construction_for_New_Mexico.pdf
- ⁸ Wildung, D., and P. Johnson. 2004. Site selection. Univ. of Minn. *High Tunnel Production Manual for Commercial Growers*. Accessed on Aug. 12, 2010: <http://www.extension.umn.edu/distribution/horticulture/components/M1218-4.pdf>

Printed by University of Arkansas Cooperative Extension Service Printing Services.

DR. JAMES A. ROBBINS is professor - ornamentals, University of Arkansas Division of Agriculture, Little Rock. **DR. MENG MENG GU** is assistant professor - ornamental horticulture, Mississippi State University, Mississippi State, Mississippi.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director, Cooperative Extension Service, University of Arkansas. The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, religion, gender, age, disability, marital or veteran status, or any other legally protected status and is an Affirmative Action/Equal Opportunity Employer.