

**WEED RESPONSE RATINGS FOR AQUATIC HERBICIDES<sup>1</sup>**

Aquatic Weed Group	Copper Sulfate and Copper Complexes	2,4-D	Diquat	Endothall	Fluridone	Glyphosate	Triclopyr	Imazapyr	Imazamox	Carfentrazone	Penoxsulam	Sodium Carbonate Peroxyhydrate	Flumioxazin	Bispyribac Sodium	Topramezone	Florpyrauxifen	Grass Carp
<b>Algae</b>																	
Planktonic	E	P	P	G	P	P	P	P				G-E					
Filamentous	E <sup>2</sup>	P	G	P-G <sup>3</sup>	P	P	P	P				G-E	G-E				F-P
Chara	E	P	P-G	P-G <sup>3</sup>	P	P	P	P									E
Nitella	E	P	P-G	P-G <sup>3</sup>	P	P	P	P									G
<b>Free Floating Weeds</b>																	
Bladderwort	P	P-G <sup>4</sup>	E	F	G			G-E			G		G		G		E-G
Duckweed	P	F	G	P	E			G		G-E	E		E	E			P-F
Watermeal	P	P	F		G	P	P	P		G	G		E	E			
Azolla	P	F	G		G-E	F				E	E		E	E		G-E	P-F
Water hyacinth	P	E	E		P	F	E	E	E	G-E	E			E	E	G-E	P
<b>Rooted Floating Weeds</b>																	
American lotus	P	E	P	P	F	G	E	G	G						G	G-E	P
Water lily (fragrant and white)	P	E	P	P	E	E	E	E	G								P
Spatterdock	P	E	P	P	E	G		G									P
Watershield	P	E	P		G	G		E	G	G					G-E	F-P	
<b>Emersed Weeds</b>																	
Alligator weed	P	F	P	P	G	E	E	E	G	G	G		E	E		G-E	P
Arrowhead	P	E	G	G		P		E	E		G				E		F-P
Buttonbush	P	E	F	P	P	G	G										
Cattails	P	G	G	P	F	E	P	E	E								
Common reed	P	F	F	P	F	E	G	E									
Ducksalad	P	E	G	P		E		E	G-E								P
Frogbit	P	E	E					E	E	G	E		E				P
Maidencane	P	P	F		F	E	P	E									F-P
Pickerelweed	P	G	G			P	E	E	E		G						P
Pond edge annuals	P		G		E	E		E									
Sedges and rushes	P	F	F	P		G	P	E	G								P
Slender spikerush	P		G		G	P	P	E			G					G-E	
Smartweed	P	G	F		F	E	E	E	E		G						P
Water pennywort	P	G	G	P	P	G	E	E			E		E		G-E	F-P	
Water primrose	P	E	F-G		F	E	E	E	E				G-E			G-E	P
Willows	P	E	F	P	P	E	E	E									

<sup>1</sup> E = excellent control, G = good control, F = fair control, P = poor control.

<sup>2</sup> For *Pithophora*, only F-G control.

<sup>3</sup> Hydrothol formulation only.

<sup>4</sup> Granular 2,4-D formulation.

<sup>5</sup> Copper complexes only (ex. Komeen, Captain, K-Tea).

(Continued on page 150)

**WEED RESPONSE RATINGS FOR AQUATIC HERBICIDES<sup>1</sup> [cont.]**

Aquatic Weed Group	Copper Sulfate and Copper Complexes	2,4-D	Diquat	Endothall	Fluridone	Glyphosate	Triclopyr	Imazapyr	Imazamox	Cafentrazole	Penoxsulam	Sodium Carbonate Peroxhydrate	Flumioxazin	Bispyribac Sodium	Topramezone	Florpyrauxifen	Grass Carp
<b>Submersed Weeds</b>																	
Coontail	P	G	E	E	E	P							E			G-E	G-F
Egeria	P-G <sup>5</sup>	P	G	G	E	P		P			E						E
Elodea	P-G <sup>5</sup>	G	E	F	E	P		P		E		E					E
Fanwort	P	F	G	E	E	P		P				E					E
Hydrilla	P-E <sup>5</sup>	P	G	G	E	P		P	G	E		E	E	E	E	E	E
Naiads	P	F	E	E	E	P		P		G		E		G		G	E
Parrotfeather	P	E	E	E	E	F	F	G (when emerged)	G	E	G		E	E		G-E	F-P
Pondweeds	P-G <sup>5</sup>	P	G	E	E	P		F	E		E		E	E	E		G-P
Water milfoil (broadleaf)	P		E	E	E	P	G	P	G	G	E						P
Water milfoil (Eurasian)	P	E	E	E	E	P	G	P	G	G-E	E		E	E	G		F-P

<sup>1</sup> E = excellent control, G = good control, F = fair control, P = poor control.

<sup>2</sup> For *Pithophora*, only F-G control.

<sup>3</sup> Hydrothol formulation only.

<sup>4</sup> Granular 2,4-D formulation.

<sup>5</sup> Copper complexes only (ex. Komeen, Captain, K-Tea).