

WEED RESPONSE RATINGS FOR VEGETABLE, SMALL FRUIT AND NUT CROP HERBICIDES

(See Explanation of Ratings Tables on Page 3.)

| | Barnyardgrass | Bermudagrass | Crabgrass | Fall panicum | Foxtail | Goosegrass | Johnsongrass (S) | Johnsongrass (R) | Signalgrass | Texas panicum | Carpetweed | Chickweed | Cocklebur | Evening primrose | Jimsonweed | Lambsquarters | Morningglory | Nightshade | Pigweed | Prickly sida | Purslane | Ragweed | Sicklepod | Smartweed | Velvetleaf | Nutsedge, yellow | Nutsedge, purple |
|-----------------|---------------|--------------|-----------|--------------|---------|------------|------------------|------------------|-------------|---------------|------------|-----------|-----------|------------------|------------|---------------|--------------|------------|---------|--------------|----------|---------|-----------|-----------|------------|------------------|------------------|
| 2,4-D | N | N | N | N | N | N | N | N | G | G | G | G | G | E | E | E | E | E | E | G | E | F | F | G | F | G | |
| Atrazine | G | P | G | P | G | G | P | P | P | E | E | G | E | G | E | G | E | E | G | E | F | E | E | P | P | | |
| Basagran | P | P | P | P | P | P | P | P | P | G | G | E | G | G | G | G | G | P | F | G | G | F | G | E | P | P | |
| Chateau | F | F | F | F | F | F | F | F | F | E | E | P | E | G | E | G | E | E | E | E | G | P | G | G | P | P | |
| Command | E | N | E | E | E | E | E | N | E | E | N | P | F | G | P | F | E | G | E | F | F | E | N | N | | | |
| Curbit | G | N | E | G | G | G | G | N | G | G | G | N | N | N | N | N | N | G | G | N | N | N | N | N | N | N | |
| Dual | G | P | E | E | E | E | F | N | G | F | G | G | P | G | P | F | P | G | G | P | E | F | P | F | P | G | |
| Eptam | G | P | E | G | E | G | G | P | F | G | G | F | P | F | P | G | P | P | G | P | G | P | P | E | G | G | |
| Fusilade DX | E | E | E | E | E | E | E | E | E | E | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | |
| Glyphosate | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E | G | |
| Goal | E | P | E | F | F | E | F | P | F | F | E | E | G | | E | P | E | E | E | E | E | E | E | E | E | P | P |
| Karmex | G | P | G | F | G | G | P | P | P | F | G | F | G | G | E | F | G | E | F | E | G | P | F | F | P | P | |
| Metribuzin Pre | G | P | G | E | E | E | F | P | P | F | E | G | F | G | E | E | F | P | E | G | E | G | F | G | G | P | |
| Metribuzin Post | G | P | G | E | E | E | F | P | P | F | E | G | E | G | E | E | E | P | E | G | E | G | E | G | G | P | |
| Paraquat | E | P | E | E | E | E | E | P | E | E | E | G | G | G | E | G | G | E | G | G | E | G | G | G | G | P | |
| Poast | E | E | E | E | E | E | E | E | E | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | |
| Princep | E | P | G | G | G | G | P | P | P | P | E | E | G | E | E | E | G | G | E | G | E | E | F | E | | P | |
| Pursuit | F | F | F | | P | G | G | F | | | E | | | | | G | P | E | F | G | P | F | | F | | | |
| Pyramin | N | N | N | N | N | N | N | N | N | N | | | | | | E | | P | E | G | E | E | E | | P | P | |
| Raptor | G | | G | G | P | G | G | | | | | | | | | | | | | | | | | | | | P |
| Select | E | E | E | G | G | G | E | E | E | G | | | | | | | | | | | | | | | | | |
| Sandea | | | | | | | | | | | | | G | | | | | | G | | | G | G | E | E | | |
| Sinbar | G | F | G | E | G | G | G | P | G | G | E | E | | | | E | E | G | G | G | G | G | G | | F | P | |
| Spin-aid | N | N | N | N | N | N | N | N | N | N | | | | | | E | | G | | | G | | | | P | P | |
| Stinger | N | N | N | N | N | N | N | N | N | N | N | N | N | E | G | | | G | | | G | E | | | N | N | |
| Treflan | G | N | E | G | E | E | G | F | G | G | G | E | P | P | P | G | P | P | G | P | G | F | P | P | E | P | |

At recommended rates for your soil type or weed species: E = 90% control or better
G = 75-90% control
F = 50-75% control
P = 5-50% control
N = less than 5% control

NOTE: Always check current recommendations to be sure the herbicide is registered for the crop in question.